

WERF EPHect Questionnaire – Standard (EPQ-S) (March 2014)

Menstrual history and hormones

A1. How old were you when you had your first menstrual period?

- | | | |
|---|-----------------------------|--|
| <input type="checkbox"/> 8 years or younger | <input type="checkbox"/> 12 | <input type="checkbox"/> 16 |
| <input type="checkbox"/> 9 | <input type="checkbox"/> 13 | <input type="checkbox"/> 17 years or older |
| <input type="checkbox"/> 10 | <input type="checkbox"/> 14 | <input type="checkbox"/> uncertain |
| <input type="checkbox"/> 11 | <input type="checkbox"/> 15 | <input type="checkbox"/> periods have not started yet, please skip to question C1 |

A2. Have you had any periods in the last 3 months? (*We mean bleeding for which you needed a tampon or sanitary pad, NOT discharge (spotting) for which you needed a panty liner only*)

- No
 Yes

If you have NOT had periods in the last 3 months:

A2.1. What was the reason for not having periods?

- Taking hormones continuously (*e.g. the Pill, injections, Mirena, HRT*)
 Pregnant/breastfeeding
 Unsure
 Other (*Please describe*) _____

A2.2. Approximately how many periods have you had over the last 12 months? _____

A2.3. When was your last period?

- 3-6 months ago 7-12 months ago Over 12 months ago

If you have had periods in the last 3 months, please answer the following questions about your recent periods.

A2.4. Were your periods in the last 3 months natural or hormone-induced (*e.g. on the Pill, injections, Mirena or HRT*)?

- Natural Hormone induced

A2.5. When was the first day of your last menstrual period (LMP)?

LMP / / Uncertain
 DD MM YYYY









A2.6. Were your periods in the last 3 months regular?

- extremely regular (period starts 1-2 days before or after it is expected)
 very regular (period starts 3-4 days before or after it is expected)
 regular (period starts 5-7 days before or after it is expected)
 somewhat irregular (period starts 8-20 days before or after it is expected)
 irregular (period starts more than 20 days before or after it is expected)

A2.7. How many days of bleeding did you usually have each period in the last 3 months? (*Not counting discharge/spotting for which you need a panty liner only*)

_____ days or Too irregular to say

A2.8. The figure below shows examples of the amount of bleeding you can experience **every four hours** during your period. Please describe the amount of bleeding you typically experience four-hourly during your period **at its heaviest**, and **on average**.

		<u>Sanitary Napkins and Pads</u>	<u>Tampons</u>
<p><u>At its heaviest?</u></p> <p><input type="checkbox"/> Spotting</p> <p><input type="checkbox"/> Light</p> <p><input type="checkbox"/> Moderate</p> <p><input type="checkbox"/> Heavy</p>	<p>Spotting</p>		
	<p>Light</p>		
	<p>Moderate</p>		
<p><u>On average?</u></p> <p><input type="checkbox"/> Spotting</p> <p><input type="checkbox"/> Light</p> <p><input type="checkbox"/> Moderate</p> <p><input type="checkbox"/> Heavy</p>	<p>Heavy</p>		

A2.9. In the last 3 months, how many days were there between the first day of one period and the first day of the next **on average?** (*Not including spotting*)

- < 24 days
- 24-31 days
- 32-38 days
- 39-50 days
- 51+ days
- Too irregular to estimate

A3. We are interested in what your period was like when you were **NOT using hormonal contraception** (the Pill, patch, ring, injection or hormonal IUD). For each age range, please tell us if you had periods and what they were like. If you did not have periods during an age range or were using hormonal contraception the whole time, please enter the code for “no” or “used hormonal contraception” in the first row and then skip the rest of the column. If you have not yet reached an age grouping, please skip that column as well.

	up to age 15	16-20 yrs	21-30 yrs	31 yrs-40 yrs	41-50 yrs
	Please enter the code number shown in the first column to answer each question below				
Did you have natural periods during this time period? (not on hormonal contraception) 1=Yes 2=No 3=Used hormonal contraception for entire time frame	_____ If 1 entered above, please complete questions below	_____ If 1 entered above, please complete questions below	_____ If 1 entered above, please complete questions below	_____ If 1 entered above, please complete questions below	_____ If 1 entered above, please complete questions below
Were your periods regular when not using hormonal contraception? 1=extremely regular (period starts 1-2 days before or after it is expected) 2=very regular (period starts 3-4 days before or after it is expected) 3=regular (period starts 5-7 days before or after it is expected) 4=somewhat irregular (period starts 8-20 days before or after it is expected) 5=irregular (period starts more than 20 days before or after it is expected)	_____	_____	_____	_____	_____
How many days of bleeding did you usually have each period when not using hormonal contraception? (Not counting discharge or spotting for which you needed a panty liner only)	_____ days or <input type="checkbox"/> Too irregular to say	_____ days or <input type="checkbox"/> Too irregular to say	_____ days or <input type="checkbox"/> Too irregular to say	_____ days or <input type="checkbox"/> Too irregular to say	_____ days or <input type="checkbox"/> Too irregular to say
How heavy was your menstrual flow at its heaviest and on average, when not using hormonal contraception? Please use the figure on the previous page to describe the amount of bleeding that you typically experienced every four hours. 1=Spotting 2=Light 3=Moderate 4=Heavy (clots/flooding)	At its heaviest: _____ On average: _____	At its heaviest: _____ On average: _____	At its heaviest: _____ On average: _____	At its heaviest: _____ On average: _____	At its heaviest: _____ On average: _____
On average, how many days were there between the start of one period and the start of the next, when not using hormonal contraception? 1=<24 days 2=24-31 days 3=32-38 days 4=39-50 days 5=51+ days 6=Too irregular to estimate	_____	_____	_____	_____	_____

WERF EPHect Questionnaire - Standard (EPHect EPQ-S)

A4. Please list below all hormones you have **ever** used for any reason (acne, bad cramping, irregular periods, birth control, fertility treatments). For each hormone used, please indicate what type of hormone it was using the number indicated for the categories below. Please also tell us the age you first used each hormone and the total time used. If you cannot remember the name of the hormone you used, please write “unknown” in the first column.

- 1=Combined birth control pill (e.g. Marvelon, Yasmin, Microgynon)
- 2=Progestin only birth control pill (“mini-pill”, e.g. Cerazette, Micronor)
- 3=Unsure of which type of oral birth control pill
- 4=Progestin injection/shot (e.g. Depo provera)
- 5=Transdermals: patches (e.g. OrthoEvra, Climara), dots (Vivelle dot)
- 6=Vaginal ring (NuvaRing)
- 7=Progesterone containing coil/IUD (Mirena)
- 8=Hormonal implant (Implanon/Nexplanon)
- 9=Oral progestins to regulate the cycle (e.g. medroxyprogesterone acetate [Provera], dydrogesterone [Duphaston], dienogest [Visanne], Norethisterone)
- 10=GnRH agonist injection/shot (e.g. leuprolilide (leuproline) acetate [Prostap], goserelin [Zoladex])
- 11=Norethindrone acetate (Aygestin)
- 12=Danazol (please specify if used vaginally or orally)
- 13=Hormone replacement therapy (e.g. Premarin, Provera)
- 14=Other
- 15=Don't know what type of hormone

Name of hormone	Type of hormone (Please enter the number associated with the category above.)	Age started	Used within the last 3 months?	Total time used	If the hormone used was an <u>injection</u> , please note the date of the last injection
<i>For example: Yasmin</i>	<i>1</i>	<i>18</i>	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes	<i>..... months 2 years</i>	<i>...../...../..... DD MM YY</i>
1.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
2.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
3.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
4.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
5.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
6.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
7.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
8.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
9.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY
10.	<input type="checkbox"/> No <input type="checkbox"/> Yes months years/...../..... DD MM YY

A5. Have you ever used emergency contraception?

No

Yes → If yes: A5.1. Have you used emergency contraception in the last 3 months?

No

Yes

A6. What are/were your reasons for using hormones?

(Check all that apply).

Birth control / pregnancy prevention

Pelvic pain or pain with periods

If yes: A6.1. Did hormones help with the pain? Yes No

A6.2. Did you ever discontinue or change hormones because they were not effective enough at controlling pain? Yes No

Irregular periods

Heavy periods

Acne

Polycystic ovarian syndrome (PCOS)

Ovarian cyst

Other (please specify): _____

A7. Have you ever used a non-hormonal coil/IUD?

No

Yes → If yes, at what age did you first use a non-hormonal coil/IUD? _____

Have you used a non-hormonal coil/IUD in the last 3 months? Yes No

How long have you used a non-hormonal coil/IUD? _____ months _____ years

Pregnancy and fertility

B1. Have you ever been pregnant (confirmed by a positive pregnancy test, including miscarriages, ectopic pregnancies or terminations)?

- No
 Yes, please complete the table below.

	Pregnancy							
	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th
How old were you at the start of the pregnancy?								
(Please write your age at each pregnancy)
What fertility treatment was used, if any, for this pregnancy?								
Natural conception: no fertility treatment								
Fertility drugs by pills to stimulate ovulation (clomid, clomiphene)								
Intrauterine insemination (IUI)								
In vitro fertilization (IVF/ICSI)								
What was the outcome of this pregnancy? (Please tick ✓ all that apply)								
Single live birth								
Twins or triplets								
Miscarriage								
Stillbirth								
Termination (abortion)								
Tubal or pregnancy in other location outside the uterus								
Molar								
Currently pregnant								
If this pregnancy was a miscarriage, tubal/ectopic or if you had a termination, how was this managed?								
Surgically (D&C)								
Medically (with tablets either orally and/or vaginally)								
No management was needed								
If this pregnancy resulted in a birth, was the delivery vaginal or via Caesarean section?								
Vaginal birth								
Caesarean section								
Did go into labor and if so, was it induced or did it begin on its own?								
No labor								
Spontaneous labor								
Induced labor								
Did you have any of the following complications related to pregnancy or breast feeding?								
Gestational diabetes								
Pregnancy-related high blood pressure								
Pre-eclampsia/toxemia of pregnancy								
Mastitis/breast infection								
HELLP syndrome								
Hyperemesis gravidarum								
Pre term birth (birth before 37 weeks)								
Other:								
Other:								
If this pregnancy resulted in a birth, for how long did you breastfeed?								
(Please write the number of months you breastfed or write '0' if you did not breastfeed; if you breastfed for less than 1 month, please write '1')

B2. Have you ever tried to get pregnant for more than 6 months in a row without succeeding?

- No Yes

If Yes: B2.1. What was the longest amount of time that you tried, whether or not you actually got pregnant? _____ months

B3. Have you or your partner ever had any tests/investigations to find out why you were not getting pregnant?

- No Yes

If Yes: B3.1. What were the results of these tests? (Please tick ✓ all that apply)

- | | | |
|---|--|---|
| <input type="checkbox"/> Endometriosis | <input type="checkbox"/> Pelvic inflammatory disease | <input type="checkbox"/> No cause was found |
| <input type="checkbox"/> Adhesions | <input type="checkbox"/> No/irregular ovulation | <input type="checkbox"/> I can't remember |
| <input type="checkbox"/> Blocked tubes | <input type="checkbox"/> Poor sperm count/quality | <input type="checkbox"/> Other..... |
| <input type="checkbox"/> Polycystic ovary syndrome (PCOS) | <input type="checkbox"/> Uterine fibroids | |

B4. Did you ever seek treatment for infertility in any clinic? No Yes

If Yes: B4.1. Please tell us about any fertility treatment you have used.

	Never used	Used within the last three months	Used, but not within the last three months	Number of cycles (if applicable)
Intercourse timed specifically to conceive			
Fertility drugs by pills to stimulate ovulation (clomid, clomiphene or any other drug in pill form)			
Fertility drugs by Injection (gonadotropins, HCG, or any other drug by injection)			
Progesterone (vaginal or intramuscular injection)			
Insemination with your partner's semen			
Intrauterine insemination with a donor's semen			
In vitro fertilization (IVF)			
In vitro fertilization with intracytoplasmic sperm injection (ICSI)			
In vitro fertilization with eggs from a donor			

B4.2 If you ever had IVF, ICSI, or IVF with donor egg(s): After what step did your IVF cycle(s) end?

(please mark all that apply)

- Ovarian stimulation (did not have eggs to retrieve)
- Egg retrieval (did not have embryos transferred)
- Embryo transfer (did not have a positive pregnancy test)
- Chemical pregnancy (had a positive pregnancy test but no heartbeat on ultrasound)
- Clinical pregnancy (heartbeat detected, but had a pregnancy loss before the end of 12 weeks)
- Pregnancy loss or stillbirth after 12 weeks
- Live birth

Pain


C1. Everyone experiences painful situations at some point in their lives. Such experiences may include headaches, tooth pain, joint, or muscle pain. People are often exposed to situations that may cause pain such as illness, injury, dental procedures, or surgery.

We are interested in the types of thoughts and feelings that you have **when you are in pain**. Listed below are thirteen statements describing different thoughts and feelings that may be associated with pain. Using the scale, please indicate the degree to which you have these thoughts and feelings when you are experiencing pain.

	Not at all	To a slight degree	To a moderate degree	To a great degree	All the time
I worry all the time about whether the pain will end	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I feel I can't go on	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
It's terrible and I think it's never going to get any better	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
It's awful and I feel that it overwhelms me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I feel I can't stand it anymore	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I become afraid that the pain will get worse	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I keep thinking of other painful events	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I anxiously want the pain to go away	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I can't seem to keep it out of my mind	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I keep thinking about how much it hurts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I keep thinking about how badly I want the pain to stop	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
There's nothing I can do to reduce the intensity of the pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
I wonder whether something serious may happen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The following questions ask about pelvic pain with your periods (including irregular bleeding or bleeding while on hormonal treatments, but not spotting).

By 'pelvic pain' we mean any type of pain (cramping, shooting, stabbing, etc.) in the lower part of your belly, as shown by the shaded area in this picture:



C2. Has there been a time in your life when you typically had pelvic pain during your periods?

- No pain → **Skip to question C16**
- Mild cramps (medication never or rarely needed)
- Moderate cramps (medication usually needed)
- Severe cramps (medication and bed rest needed)

→ C2.1. At what age did you start having period pain? ___ years

If you have had a period in the last 3 months, please complete the following questions, otherwise, please check here ___ and continue to question C12

C3. How much pelvic pain did you have **during your last period**?

- No pain → **skip to question C9**
- Mild cramps (medication never or rarely needed)
- Moderate cramps (medication usually needed)
- Severe cramps (medication and bed rest needed)

C4. Did you take any pain-killers for pelvic pain **during your last period**? (Please check all that apply)

- No
- Yes, pain-killers that were prescribed by a doctor
- Yes, pain-killers bought over-the-counter without prescription (e.g. aspirin, ibuprofen, paracetamol/acetaminophen, naproxen)?

C5. Did you take hormones to help alleviate pelvic pain **during your last period** and if so, did it help to alleviate your pain?

- Did not take hormones for pain
- Yes, but pain was not alleviated
- Yes, pain was at least somewhat alleviated

C6. **During your last period**, did your pelvic pain prevent you from going to work or school or carrying out your daily activities (even if taking pain-killers)?

- No
- Yes

C7. **During your last period**, did you have to lie down for any part of the day or longer because of your pelvic pain?

- No
- Yes

C8. Please rate how severe your pelvic pain was at its worst **during your last period** using a scale from 0 to 10 where 0=no pain and 10=worst imaginable pain.

No pain											Worst imaginable pain
0	1	2	3	4	5	6	7	8	9	10	

C9. **In the last 12 months**, how often have you had pelvic pain during your period?

- Never
- Occasionally (less than a quarter of my periods)
- Often (a quarter to half of my periods)
- Usually (more than half of my periods)
- Always (every period)

C10. Please rate how severe your pelvic pain during your period was at its worst **in the last 12 months** using a scale from 0 to 10 where 0=no pain and 10=worst imaginable pain.

No pain											Worst imaginable pain
0	1	2	3	4	5	6	7	8	9	10	


WERF EPHect Questionnaire - Standard (EPHect EPQ-S)

C15. The following questions are about pelvic pain during your period **over your lifetime** (including irregular bleeding or bleeding while on hormonal treatments, but not spotting).

	up to age 15	16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs
Please enter the code number below to answer each question					
How much pelvic pain did you usually have with your periods? 1=No periods 2=No pain 3=Mild cramps (medication rarely needed) 4=Moderate cramps (medication usually needed) 5=Severe cramps (medication and bed rest needed)	____ (If no periods or no pain then skip to next column)	____ (If no periods or no pain then skip to next column)	____ (If no periods or no pain then skip to next column)	____ (If no periods or no pain then skip to C14)	____ (If no periods or no pain then skip to C14)
How often did you have pelvic pain with your periods? 1=Occasionally (less than a quarter of my periods) 2=Often (a quarter to half of my periods) 3=Usually (more than half of my periods) 4=Always (every period)	____	____	____	____	____
Did you take pain-killers for pelvic period pain? 1=No 2=Yes, prescription 3=Yes, over-the-counter 4=Both prescription and over-the-counter	____	____	____	____	____
Did you take hormones to help alleviate menstrual pelvic pain and if so, did it help to alleviate your pain? 1=Did not take hormones for pain 2=Yes, but pain was not alleviated 3=Yes, pain was at least somewhat alleviated	____	____	____	____	____
Did your pelvic period pain prevent you from going to work or carrying out your daily activities (even if taking pain-killers)? 1=Never 2=Occasionally (less than a quarter of my periods) 3=Often (a quarter to half of my periods) 4=Usually (more than half of my periods) 5=Always (every period)	____	____	____	____	____
Did you have to lie down for any part of the day or longer because of your pelvic period pain? 1=Never 2=Occasionally (less than a quarter of my periods) 3=Often (a quarter to half of my periods) 4=Usually (more than half of my periods) 5=Always (every period)	____	____	____	____	____
The scale below shows how bad pain can be, going from no pain (0) to worst imaginable pain (10):					
No Pain					
0 1 2 3 4 5 6 7 8 9 Worst imaginable pain 10					
Please rate how severe your pelvic period pain was in each age period using numbers from the scale above. On average: At its worst: Or <input checked="" type="checkbox"/> can't remember	Average: ____ Worst: ____ <input type="checkbox"/> can't remember	Average: ____ Worst: ____ <input type="checkbox"/> can't remember	Average: ____ Worst: ____ <input type="checkbox"/> can't remember	Average: ____ Worst: ____ <input type="checkbox"/> can't remember	Average: ____ Worst: ____ <input type="checkbox"/> can't remember

The following questions are about pelvic pain during or after vaginal intercourse or penetration.

By 'pelvic pain' we mean any type of pain (cramping, shooting, stabbing, etc.) in the lower part of your belly, as shown by the shaded area in this picture:



We remind you that any information you give will be treated in complete confidence.
If however you **do not wish to answer these questions**, please check here ___ and skip to question **C28**

If you have **never had intercourse**, please check here ___ and skip to question **C28**

C16. Have you ever had pelvic pain during intercourse or in the 24 hours following vaginal sexual intercourse/penetration?

- No → Please skip to question **C29**
- Yes → If yes: C16.1. At what age did this pain start? _____

C17. When did you last have vaginal intercourse?

- In the last month
- 1-3 months ago
- 4-12 months ago
- More than 12 months ago → If so, did you avoid intercourse because of pelvic pain? No Yes

If you had vaginal intercourse more than 12 months ago, please skip to question **C26**

C18. **When you last had vaginal intercourse/penetration**, did you have pelvic pain during or in the 24 hours following sexual intercourse?

- No → Please skip to question **C26**
- Yes, during intercourse/penetration
- Yes, in the 24 hours following intercourse/penetration
- Yes, both during intercourse/penetration and in the 24 hours following

C19. **When you last had vaginal intercourse/penetration**, where did you feel the pain? (tick all that apply)

- At the entrance of the vagina
- Deep inside the vagina
- In the abdomen/pelvis
- Other location → If yes: C19.1. Please describe: _____

C20. Please rate how severe your pelvic pain was at its worst during the last time you had vaginal intercourse/penetration using a scale from 0 to 10 where 0=no pain and 10=worst imaginable pain.

No pain											Worst imaginable pain
0	1	2	3	4	5	6	7	8	9	10	

C21. Please rate how severe your pelvic pain was at its worst in the 24 hours after the last time you had vaginal intercourse/penetration using a scale from 0 to 10 where 0=no pain and 10=worst imaginable pain.

No pain											Worst imaginable pain
0	1	2	3	4	5	6	7	8	9	10	

C22. During times you had vaginal intercourse/penetration in the last 12 months, how often did you have pelvic pain during or in the 24 hours after intercourse?

- Occasionally (less than a quarter of times)
- Often (a quarter to half of the times)
- Usually (more than half of the times)
- Always (every time)

C23. In the last 12 months, was there a time of the month in which vaginal intercourse/penetration was more painful than at other times? (mark all that apply)

	Was intercourse/vaginal penetration attempted during this time frame?	→	If yes, was it more painful at this time than other times?
C23.1. During a period?	<input type="checkbox"/> No <input type="checkbox"/> Yes	→	<input type="checkbox"/> No <input type="checkbox"/> Yes
C23.2. A few days before a period	<input type="checkbox"/> No <input type="checkbox"/> Yes	→	<input type="checkbox"/> No <input type="checkbox"/> Yes
C23.3. A few days after a period	<input type="checkbox"/> No <input type="checkbox"/> Yes	→	<input type="checkbox"/> No <input type="checkbox"/> Yes
C23.4. At mid cycle (around ovulation)	<input type="checkbox"/> No <input type="checkbox"/> Yes	→	<input type="checkbox"/> No <input type="checkbox"/> Yes

C24. In the last 12 months, did you ever interrupt vaginal intercourse/penetration because of pelvic pain?

- No
- Yes

C25. In the last 12 months, did you ever avoid vaginal intercourse/penetration because of pelvic pain?

- No
- Yes

The following questions are about the time in your life when your pain with vaginal intercourse/penetration was at its worst.

C26. How old were you when your pelvic pain with vaginal intercourse/penetration was at its worst? _____ years

C27. Please rate how severe your pelvic pain with vaginal intercourse/penetration was when it was at its worst using a scale from 0 to 10 where 0=no pain and 10=worst imaginable pain.

No pain											Worst imaginable pain
0	1	2	3	4	5	6	7	8	9	10	


WERF EPHect Questionnaire - Standard (EPHect EPQ-S)

C28. The following questions are about pelvic pain during or after intercourse during your lifetime.

	up to age 15	16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs
Please enter the code number shown in the first column to answer each question below					
Did you have pelvic pain during or in the 24 hours after vaginal intercourse/penetration? 1=No 2=Yes 3=I did not have sexual intercourse during this period	____ If 2 entered above, please continue with this column	____ If 2 entered above, please continue with this column	____ If 2 entered above, please continue with this column	____ If 2 entered above, please continue with this column	____ If 2 entered above, please continue with this column
Where did you feel the pain? (enter all that apply) 1=At the entrance of the vagina 2=Deep inside the vagina 3=In the abdomen/pelvis	____	____	____	____	____
On average, how often did you have pelvic pain during or in the 24 hours after intercourse? 1=Occasionally (less than a quarter of times) 2=Often (a quarter to half of the times) 3=Usually (more than half of the times) 4=Always (every time)	____	____	____	____	____
Was there a time of the month in which intercourse was more painful than at other times? 1=No 2=Yes: during a period 3=Yes: a few days before a period 4=Yes: a few days after a period 5=Yes: at mid cycle (around ovulation)	____	____	____	____	____
Did you ever interrupt intercourse because of pelvic pain? 1=No 2=Yes	____	____	____	____	____
Did you ever avoid intercourse because of pelvic pain? 1=No 2=Yes	____	____	____	____	____
The scale below shows how bad pain can be, going from no pain (0) to worst imaginable pain (10):					
No Pain 0 1 2 3 4 5 6 7 8 9					Worst imaginable pain 10
Please rate how severe your pelvic pain during intercourse was at its worst using numbers from the scale above or tick can't remember.	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember
Please rate how severe your pelvic pain in the 24 hours after intercourse was at its worst using numbers from the scale above or tick can't remember.	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember	____ <input type="checkbox"/> can't remember

The questions in this section ask about pelvic/lower abdominal pain in general.

By 'pelvic pain' we mean any type of pain (cramping, shooting, stabbing, etc.) in the lower part of your belly, as shown by the shaded area in this picture:



Please **do not count**: pain related to periods or intercourse, pregnancy or childbirth, any surgery, sports-related or other injury, food poisoning or stomach flu.

C29. Have you ever experienced pelvic pain in general? **Do not count**: pain caused by menstrual cramps, intercourse, surgery, pregnancy, childbirth, sports-related or other injury, food poisoning, or stomach flu.

- No → skip to C43
- Yes → C29.1 At what age did you start having this pelvic pain? ___ years

C29.2 When did you last have this pain?

- In the last month
 - 1-3 months ago
 - 4-6 months ago
 - 7-12 months ago
 - longer than 12 months ago
- please skip to question C38

C30. To what extent has your pain interfered with your normal social activities with each of the following activities **in the last 3 months**:

- | | | | | | | |
|---------------------------|-------------------------------------|-----------------------------------|-------------------------------------|--------------------------------------|------------------------------------|---|
| Work or school: | <input type="checkbox"/> Not at all | <input type="checkbox"/> Slightly | <input type="checkbox"/> Moderately | <input type="checkbox"/> Quite a bit | <input type="checkbox"/> Extremely | <input type="checkbox"/> Not applicable |
| Daily activities at home: | <input type="checkbox"/> Not at all | <input type="checkbox"/> Slightly | <input type="checkbox"/> Moderately | <input type="checkbox"/> Quite a bit | <input type="checkbox"/> Extremely | |
| Sleep: | <input type="checkbox"/> Not at all | <input type="checkbox"/> Slightly | <input type="checkbox"/> Moderately | <input type="checkbox"/> Quite a bit | <input type="checkbox"/> Extremely | |
| Sexual intercourse: | <input type="checkbox"/> Not at all | <input type="checkbox"/> Slightly | <input type="checkbox"/> Moderately | <input type="checkbox"/> Quite a bit | <input type="checkbox"/> Extremely | <input type="checkbox"/> Not applicable |
| Exercise/sports: | <input type="checkbox"/> Not at all | <input type="checkbox"/> Slightly | <input type="checkbox"/> Moderately | <input type="checkbox"/> Quite a bit | <input type="checkbox"/> Extremely | <input type="checkbox"/> Not applicable |
| Social activities: | <input type="checkbox"/> Not at all | <input type="checkbox"/> Slightly | <input type="checkbox"/> Moderately | <input type="checkbox"/> Quite a bit | <input type="checkbox"/> Extremely | <input type="checkbox"/> Not applicable |

C31. Approximately how long in total did you have this pain for **in the last 3 months**?

- Less than one day a month
- One day a month
- Two to three days a month
- One day a week
- More than one day a week
- Every day

C32. Have you taken any medication to help alleviate this pain **in the last 3 months**?

(Please check all that apply)

- No
- Yes, pain-killers that were prescribed by a doctor
- Yes, pain-killers bought over-the-counter without prescription (e.g. aspirin, ibuprofen, paracetamol/acetaminophen, naproxen)
- Yes, hormones, but pain was not alleviated
- Yes, hormones, pain was at least somewhat alleviated

C33. Please rate how severe your pelvic pain was at its worst in the last 3 months using a scale from 0 to 10 where 0=no pain and 10=worst imaginable pain.

No pain											Worst imaginable pain
0	1	2	3	4	5	6	7	8	9	10	

C34. When you had pelvic pain **in the last 3 months**, what did it feel like?

- | | | | | |
|-------------------|-------------------------------|-------------------------------|-----------------------------------|---------------------------------|
| Throbbing | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Shooting | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Stabbing | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Sharp | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Cramping | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Gnawing | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Hot-Burning | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Aching | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Heavy | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Tender | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Splitting | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Tiring-Exhausting | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Sickening | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Fearful | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |
| Punishing-Cruel | <input type="checkbox"/> None | <input type="checkbox"/> Mild | <input type="checkbox"/> Moderate | <input type="checkbox"/> Severe |

C35. What makes your pelvic pain worse? Please check all that apply.

- | | |
|---|--|
| <input type="checkbox"/> Sitting | <input type="checkbox"/> Stress |
| <input type="checkbox"/> Full bladder or urinating | <input type="checkbox"/> Time of day |
| <input type="checkbox"/> Bowel movement | <input type="checkbox"/> Full meal |
| <input type="checkbox"/> Constipation | <input type="checkbox"/> Weather |
| <input type="checkbox"/> Intercourse or orgasm | <input type="checkbox"/> Contact with clothing |
| <input type="checkbox"/> Standing or walking | <input type="checkbox"/> Coughing/sneezing |
| <input type="checkbox"/> Exercise | <input type="checkbox"/> Nothing makes my pain worse |
| <input type="checkbox"/> Other, please specify: _____ | |

C36. What helps your pelvic pain? Please check all that apply.

- | | |
|---|--|
| <input type="checkbox"/> Pain medication | <input type="checkbox"/> Bowel movement |
| <input type="checkbox"/> Relaxation | <input type="checkbox"/> Hot bath |
| <input type="checkbox"/> Lying down | <input type="checkbox"/> Meditation |
| <input type="checkbox"/> Music | <input type="checkbox"/> Laxatives / enema |
| <input type="checkbox"/> Massage | <input type="checkbox"/> TENS Unit |
| <input type="checkbox"/> Ice | <input type="checkbox"/> Emptying bladder |
| <input type="checkbox"/> Heating pad | <input type="checkbox"/> Nothing helps |
| <input type="checkbox"/> Other, please specify: _____ | |

C41. The following questions are about pelvic pain in general in your lifetime:

	up to age 15	15 yrs-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs
<i>Please enter the code number shown in the first column to answer each question below</i>					
How often did you have pelvic pain? 1=Never 2=Rarely 3=Sometimes 4=Often 5=Very often	____ (If 1 or 2 entered above skip to next column)	____ (If 1 or 2 entered above skip to next column)	____ (If 1 or 2 entered above skip to next column)	____ (If 1 or 2 entered above skip to next column)	____ (If 1 or 2 entered above skip to C42)
How long did the pain usually last? 1=< 1 minute 2=1-10 minutes 3=up to 1 hour 4=hours 5=days	____	____	____	____	____
Did you usually have this pain at about the same time in your cycle? 1=No 2=Yes: a few days before a period 3=Yes: a few days after a period 4=Yes: at mid cycle (around ovulation)	____	____	____	____	____
Did you seek treatment for this pain and if so, did you ever go to the emergency room (ER) or were you ever admitted to hospital for it? 1=No 2=Yes, never went to ER/hospitalized 3=Yes, went to ER/hospitalized	____	____	____	____	____
When you had this pelvic pain, how difficult did the pain make it for you to participate in daily activities? Tell us on a scale from 0-10 where 0=no difficulty and 10=extreme difficulty.	____ school or work ____ recreational or social activities	____ school or work ____ recreational or social activities	____ school or work ____ recreational or social activities	____ school or work ____ recreational or social activities	____ school or work ____ recreational or social activities
Have you taken pain-killers for this pelvic pain? 1=No 2=Yes, prescription 3=Yes, over-the-counter 4=Yes, prescription and over-the-counter	____	____	____	____	____
The scale below shows how bad pain can be, going from no pain (0) to worst imaginable pain (10):					
No Pain 0 1 2 3 4 5 6 7 8 9 10 Worst imaginable pain					
Please rate how severe your pelvic pain was at its worst in each age period using numbers from the scale above.	up to age 15 At its worst: ____ Or <input type="checkbox"/> can't remember	16-20 yrs At its worst: ____ Or <input type="checkbox"/> can't remember	21-30 yrs At its worst: ____ Or <input type="checkbox"/> can't remember	31-40 yrs At its worst: ____ Or <input type="checkbox"/> can't remember	41-50 yrs At its worst: ____ Or <input type="checkbox"/> can't remember

C42. Have you ever received a diagnosis for the pain from a doctor?

- No
- Yes: (tick all that apply):
- Irritable Bowel Syndrome
 - Inflammatory bowel disease (e.g. Crohn's or Ulcerative Colitis)
 - Endometriosis
 - Fibroid(s)
 - Ovarian cyst
 - Pelvic inflammatory disease/infection
 - Painful bladder/interstitial cystitis (NOT a bacterial bladder infection)
 - Stress
 - Other: (please describe)

C43. Please indicate whether you have (had) the following other types of pain **in the last 12 months**:

- | | | | |
|---|-----------------------------|---|---|
| Low back pain | <input type="checkbox"/> No | <input type="checkbox"/> Yes, in last month | <input type="checkbox"/> Yes, more than 1 month ago |
| Muscle/joint pain unrelated to a viral infection or (sports) injury | <input type="checkbox"/> No | <input type="checkbox"/> Yes, in last month | <input type="checkbox"/> Yes, more than 1 month ago |
| Pain at ovulation (mid cycle) | <input type="checkbox"/> No | <input type="checkbox"/> Yes, in last month | <input type="checkbox"/> Yes, more than 1 month ago |
| Pain in legs | <input type="checkbox"/> No | <input type="checkbox"/> Yes, in last month | <input type="checkbox"/> Yes, more than 1 month ago |
| Pain with urination | <input type="checkbox"/> No | <input type="checkbox"/> Yes, in last month | <input type="checkbox"/> Yes, more than 1 month ago |
| Pain with bowel movement | <input type="checkbox"/> No | <input type="checkbox"/> Yes, in last month | <input type="checkbox"/> Yes, more than 1 month ago |

Medical history

D1. Have you ever been diagnosed by a doctor with cancer or a malignancy of any kind?

- No Yes

If Yes: D1.1. What type(s) of cancer (primary location) have you been diagnosed with, and when were you first diagnosed? *(Please write below)*

Type of Cancer	Age first diagnosed (years)

D2. Have you ever had any of the following medical conditions and if so, at what age you were first diagnosed by a doctor?

Medical Condition			Age diagnosed	Medical Condition			Age diagnosed
No	Yes			No	Yes		
<input type="checkbox"/>	<input type="checkbox"/>	Anxiety requiring medication or therapy		<input type="checkbox"/>	<input type="checkbox"/>	Irritable Bowel Syndrome (IBS)	
<input type="checkbox"/>	<input type="checkbox"/>	Asthma		<input type="checkbox"/>	<input type="checkbox"/>	Migraine	
<input type="checkbox"/>	<input type="checkbox"/>	Cardiovascular disease		<input type="checkbox"/>	<input type="checkbox"/>	Mitral valve prolapse	
<input type="checkbox"/>	<input type="checkbox"/>	Crohn's Disease		<input type="checkbox"/>	<input type="checkbox"/>	Multiple Sclerosis	
<input type="checkbox"/>	<input type="checkbox"/>	Chronic Fatigue Syndrome (CFS) / Myalgic encephalomyelitis (ME)		<input type="checkbox"/>	<input type="checkbox"/>	Painful bladder/interstitial cystitis (NOT bacterial bladder infection)	
<input type="checkbox"/>	<input type="checkbox"/>	Deafness/difficulty hearing		<input type="checkbox"/>	<input type="checkbox"/>	Pelvic Inflammatory Disease (PID)	
<input type="checkbox"/>	<input type="checkbox"/>	Depression requiring medication or therapy		<input type="checkbox"/>	<input type="checkbox"/>	Polycystic Ovary Syndrome	
<input type="checkbox"/>	<input type="checkbox"/>	Diabetes requiring diet control		<input type="checkbox"/>	<input type="checkbox"/>	Rheumatoid Arthritis	
<input type="checkbox"/>	<input type="checkbox"/>	Diabetes requiring insulin or tablets		<input type="checkbox"/>	<input type="checkbox"/>	Scoliosis (curvature of the spine)	
<input type="checkbox"/>	<input type="checkbox"/>	Eczema		<input type="checkbox"/>	<input type="checkbox"/>	Spine problems (excluding scoliosis)	
<input type="checkbox"/>	<input type="checkbox"/>	Fibroid uterus		<input type="checkbox"/>	<input type="checkbox"/>	Sjogren's syndrome	
<input type="checkbox"/>	<input type="checkbox"/>	Fibromyalgia		<input type="checkbox"/>	<input type="checkbox"/>	SLE (Lupus)	
<input type="checkbox"/>	<input type="checkbox"/>	Glandular Fever		<input type="checkbox"/>	<input type="checkbox"/>	Thyroid disease	
<input type="checkbox"/>	<input type="checkbox"/>	Graves' Disease		<input type="checkbox"/>	<input type="checkbox"/>	Ulcerative Colitis	
<input type="checkbox"/>	<input type="checkbox"/>	Hashimoto's disease		<input type="checkbox"/>	<input type="checkbox"/>	Other (<i>Please specify</i>):	
<input type="checkbox"/>	<input type="checkbox"/>	High blood pressure				_____	

D3. Have you been told that you were born with a structural problem / birth defect of your uterus, cervix, or vagina?

- No
- Yes → If yes: D3.1. Did you have surgery for this issue?
 - No
 - Yes → If Yes: D3.2. Was the problem improved or corrected after surgery?
 - No
 - Yes

D4. Have you had any of the following surgical procedures during your life? If so, at approximately what age(s) did you have the procedure(s), how many have you had in total, and what was the reason for the surgery?

Surgical Procedures	No	Yes	If Yes:		
			How many times in total?	Please list age(s)	What was the reason for the surgery?
Tubal ligation (sterilisation/tubes tied)	<input type="checkbox"/>	<input type="checkbox"/>		Age:	
Appendix removed	<input type="checkbox"/>	<input type="checkbox"/>		Age:	
Hysterectomy	<input type="checkbox"/>	<input type="checkbox"/>		Age:
Oophorectomy If yes, how many of your ovaries have been removed? <input type="checkbox"/> 1 <input type="checkbox"/> both <input type="checkbox"/> unsure	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):
Dilatation and Curettage (D&C)	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):
Cervical surgery (LEEP or conization)	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):
Hysteroscopy	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):
Gall bladder surgery	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):
Hernia operation	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):
Sigmoidoscopy/colonoscopy (insertion of a tube to look inside your bowel)	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):
Laparoscopy (surgery involving insertion of a telescope into you abdomen)	<input type="checkbox"/>	<input type="checkbox"/>			
1 st				Age:
2 nd				Age:
3 rd				Age:
4 th				Age:
5 th or last				Age:
Other abdominal surgery:	<input type="checkbox"/>	<input type="checkbox"/>		Age(s):

D5. The following questions are about your bowel movements/stool in general in the last 3 months:

In the last 3 months, how often...

	Never/ Rarely	Some- times	Often	Most of the time	Always
...did you have loose, mushy, or watery stools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
...did you have hard or lumpy stools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

D6. Have you had any of the following in the **last 3 months**? (Check all that apply).

- | | |
|---|--|
| <input type="checkbox"/> Rectal bleeding or blood in your stool | <input type="checkbox"/> Straining during a bowel movement |
| <input type="checkbox"/> Less than 3 bowel movements per week | <input type="checkbox"/> Urgent need to have a bowel movement |
| <input type="checkbox"/> More than 3 bowel movements per day | <input type="checkbox"/> Feeling of incomplete emptying with bowel movements |
| <input type="checkbox"/> Nausea and/or vomiting | <input type="checkbox"/> Passing mucus at the time of bowel movements |
| <input type="checkbox"/> Intestinal cramping | <input type="checkbox"/> Abdominal fullness, bloating, or swelling |

D7. In the **last 3 months**, have you experienced any of the following? (Check all that apply).

- | | |
|--|--|
| <input type="checkbox"/> Loss of urine when coughing, sneezing or laughing | <input type="checkbox"/> Blood in the urine |
| <input type="checkbox"/> Difficulty passing urine | <input type="checkbox"/> Still feeling full after urination |
| <input type="checkbox"/> Frequent bladder infections | <input type="checkbox"/> Having to urinate again within minutes of urinating |

D8. Has a doctor or other health care provider ever diagnosed you with endometriosis?

- No
 Yes

If Yes:

D8.1. How was the diagnosis made? (check all that apply)

- laparoscopy or other surgical procedure
 ultrasound/MRI scan
 based on symptoms
 other, please describe: _____

D8.2. If you have had surgery for endometriosis, during your most recent surgery was your endometriosis treated (i.e. was it removed or burnt away)?

- No
 Yes
 Unsure
 Have not had surgery for endometriosis

D8.3. How old were you when you first had symptoms? _____ years old
or tick here if you never had symptoms

D8.4. What symptoms, if any, prompted you to see a health care provider before your diagnosis with endometriosis?

(please mark all that apply)

- Pain
 Infertility
 No symptoms
 Other (please specify): _____

D8.5. How old were you when you were diagnosed with endometriosis? _____ years old

D9. Have you ever had surgery to look for endometriosis and none was found?

- No
- Yes

If yes: D9.1. What symptoms prompted the surgery?

- Pain
- Infertility
- Other (please specify): _____

D10. Have any of your female blood relatives been diagnosed with endometriosis or suffered from chronic pelvic pain?

Condition	Mother	Sister	Grandmother, aunt or cousin on mother's side	Grandmother, aunt or cousin on father's side
Endometriosis	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know <input type="checkbox"/> Do not have a sister	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know
Chronic pelvic pain	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know <input type="checkbox"/> Do not have a sister	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know	<input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> Do not know

Medication history

E1. Please tell us about any pain medications, over-the-counter or prescription, that you have used at least once a week for a period of **3 months or longer**.

PAIN RELIEF DRUG TABLE

Type of drug	Ever used? <i>✓ if yes</i>	Currently taking? <i>✓ if yes</i>	At what age did you <u>first</u> take this drug regularly?	For what pain was this medication used?	How many days per week?	How many tablets per week?	In total, how long have you used this drug?
Paracetamol/acetaminophen	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Aspirin (325 mg or more/tablet)	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Ibuprofen (e.g., Brufen)	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Celebrex, Vioxx (COX-2 inhibitors)	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Other anti-inflammatory analgesics (naproxen, mefenamic acid, Aleve, Naprosyn, Relafen, Ketoprofen, Anaprox)	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Strong (narcotic) analgesics (hydrocodone +paracetamol, codeine+paracetamol, morphine, codeine, oxycodone, hydrocodone, Demerol)	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Other pain-killing drugs aimed at the nerves/central nervous system (amitriptyline, nortriptyline, gabapentin, pregabalin, lamotrigine)	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Muscle relaxants (diazepam/temazepam, buscopan)	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years
Herbal medicines	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/> Pelvic pain <input type="checkbox"/> Other pain <input type="checkbox"/> Both	<input type="checkbox"/> 1 <input type="checkbox"/> 2-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6+	<input type="checkbox"/> 1-2 <input type="checkbox"/> 3-5 <input type="checkbox"/> 6-14 <input type="checkbox"/> 15+	____ months ____ years

E2. Have you EVER taken prescription drugs for more than 3 months, excluding hormone treatments and pain medications?

- Yes → please fill out the **Prescription Drug Table below** before proceeding to the next section
- No → please skip to question F1 in the next section

PRESCRIPTION DRUG TABLE

Type of drug	Have you ever taken this drug every day for over a month?	At what age did you first take this drug every day for over a month?	In total, how many years you have taken this drug? Please estimate, and enter "0 total years" if less than 1 year.	Are you currently taking this drug every day?	Please write down the specific name of the drug you have used most recently if known:
	✓ if yes	Age 1 st	Years taken:	✓ if yes	Name of drug:
a. Diuretic (water pill)	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
b. Diabetic tablets	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
c. Insulin	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
d. Thyroid drugs	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
e. Drugs for epilepsy	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
f. Sleeping tablets / tranquilisers	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
g. Anti-depressants	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
h. Other drugs to treat mental illness	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
i. Drugs for osteoporosis ("brittle bones")	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
j. Drugs for rheumatoid arthritis	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
k. Antibiotics for a month or more	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
l. Antacids	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
m. Drugs for stomach ulcer / gastritis	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
n. Drugs for high cholesterol	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
o. Drugs for allergies (antihistamines)	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
p. Steroids (oral, inhaled, or nasal)	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
q. Chemotherapy for cancer	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
r. Tamoxifen for cancer	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
s. Blood pressure drugs	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
t. Drugs for angina (chest pain)	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
u. Other drugs for a heart condition	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
v. Inhaler for asthma	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
w. Warfarin / heparin to thin blood	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
x. Migraine tablets/injections	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
Other 1:	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
Other 2:	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
Other 3:	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
Other 4:	<input type="checkbox"/>	---	---	<input type="checkbox"/>	
Other 5:	<input type="checkbox"/>	---	---	<input type="checkbox"/>	

F9. Since 18 years of age, what is **the most** that you have weighed (*not including pregnancy and the 12 months following pregnancy*)?

_____ kg or if you prefer, _____ pounds or _____ stones


How old were you when you weighed that amount? _____

F10. Since 18 years of age, what is **the least** that you have weighed?

_____ kg or if you prefer, _____ pounds or _____ stones





How old were you when you weighed that amount? _____

F11. Which picture best depicts your shape at each age? For each age grouping (*e.g. 5-9, 10-14*), please mark under the number of the figure that best describes you at that age.



10 to 14									
15 to 19									
20 to 24									
25 to 29									
30 to 34									
35 to 39									
40 to 44									
45+									

F12. The shapes and descriptions below describe 4 typical female body shapes. Which shape best describes your body at each age? For each age grouping, please place a check mark under the shape that best describes you at that age. Please leave blank any age groups, which you have not reached yet.

	 Rectangle "Straight"	 Triangle Up "Pear"	 Inverted Triangle "Apple"	 Hourglass
	The circumferences of your chest and hips are about the same and you have little to no waist; when you gain weight, it distributes evenly, although <u>with excess, your stomach may protrude.</u>	Your <u>hip circumference</u> is greater than your chest, and your waist is not prominent; when you gain weight it tends to be disproportionately in your hips, rear, and thighs.	Your chest <u>circumference</u> is greater than your hips and your waist is not prominent; when you gain weight, it tends to be disproportionately in your upper arms, shoulders (back), and chest (<u>not necessarily the breasts</u>).	The circumferences of your chest and hips are about the same but you have a pronounced waist; when you gain weight it is distributed on your shoulders, chest, hips, and rear <u>before affecting your waist and stomach.</u>
15 to 19				
20 to 29				
30 to 39				
40 to 49				
50+				

F13. At age 18, what was your natural hair color? (Please check one). If you are under 18, please tell us what your natural hair color is now.

- Red Dark brown
 Blonde Black
 Light brown

F14. What is your eye color? (Please check one).

- Blue Hazel
 Gray Brown
 Green

F15. During the **last 12 months**, what was your average time **per week** spent on each of the following recreational activities?

	Zero	1-4 min	5-19 min	20-59 min	One hour	1-1.5 hours	2-3 hours	4-6 hours	7-10 hours	11+ hours
Walking or hiking outdoors (include walking to work)										
Jogging (slower than 10 minutes/mile)										
Running (10 minutes/mile or faster)										
Bicycling (include stationary machine)										
Calisthenics/aerobics/aerobic dance/rowing machine										
Tennis, squash, racquetball										
Lap swimming										
Other aerobic recreation (e.g., lawn mowing)										

F16. Have you smoked more than 100 cigarettes during your lifetime?

- No
- Yes

If yes: F16.1. How old were you when you first started smoking? _____ years old

F16.2. Do you smoke currently?

- No, I stopped smoking at age _____
- Yes, and I smoke about _____ cigarettes per week

F17. Do you drink any alcohol?

- No
- Yes

If yes: F17.1. During an average week, how much do you drink of each of the following?

(Please note exact numbers, not ranges such as 1-3)

Type of alcohol (serving size)	Average number of each drink per week
Beer/lager/cider (half pints (284 ml))
Sherry/vermouth/port (50 ml)
Wine (175 ml)
Spirits (25 ml)
Other (Please specify)

F18. Please give the date that you completed this questionnaire: ____ / ____ / ____
DD MM YYYY

**Thank you for your time and cooperation in answering these questions.
 If you have comments or questions about any part of this survey, please explain here.**

.....
